











P.C.B. LAYOUT



2P



3P

SPECIFICATIONS

Current Rating: 1A AC,DC
Voltage Rating: 125V AC,DC
Temperature Range: -25°C ~ +85°C
Contact Resistance: 20mΩ Max.
Insulation Resistance: 100MΩ Min.
Withstanding Voltage: 500V AC/minute
Pin Material: Phosphor Bronze/Gold-plated
Solder Tabs: Brass/Gold-plated
Material: Nylon 6T OR 9T,UL94V-0
Color: Natural(Beige) OR (Black)

Ordering Information & Dimensions


PART NO.	Dimensions	
	A	B
02P	1.25	7.65
03P	2.50	8.90
04P	3.75	10.15
05P	5.00	11.40
06P	6.25	12.65
07P	7.50	13.90
08P	8.75	15.15
09P	10.00	16.40
10P	11.25	17.65
11P	12.50	18.90
12P	13.75	20.15
14P	16.25	22.65
15P	17.50	23.90
16P	18.75	25.15
20P	23.75	30.15



深圳市华宇创精密电子有限公司

TOLERANCE:
X.X ±0.30
X.XX ±0.25
X.XXX ±0.15

X' ±2° X.X' ±0.5°



UNIT: mm [inch]

SCALE:1:1 SIZE: A4

DRAWN BY :

陈一鸣

DATE :

2014-02-23

CHECKED BY :

马跃

DATE :

2014-02-23

APPROVED BY :

邱敏

DATE :

2014-02-23

PART NAME:

1.25超薄卧式贴片wafer

PART NO.

HYC87-WFN-125


MOLD NO.

DRAW NO:


HYC-2306062026

SHEET NO.

1 OF 1







 深圳市华宇创精密电子有限公司			
TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X.' ±2" X.X' ±0.5"	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: 1.25PH 端子
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HYC182-T-125
 UNIT: mm [inch]	APPROVED BY: 邱敏	MOLD NO.	
		DRAW NO: HYC-2102241535	
SCALE:1:1	SIZE: A4	SHEET NO.	1 OF 1



02P

03P



SPECIFICATIONS

Current Rating: 1A AC,DC

Voltage Rating: 125V AC,DC

Temperature Range: $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$

Contact Resistance: 20mΩ Max.

Insulation Resistance: 100MΩ Min.

Withstanding Voltage: 500V AC/minute

Material: Nylon 66,UL94V-0

Color: Natural(Beige)


Ordering Information & Dimensions

PART NO.	Dimensions		
	A	B	C
02P	1.25	2.72	5.72
03P	2.50	3.97	6.97
04P	3.75	5.22	8.22
05P	5.00	6.47	9.47
06P	6.25	7.72	10.72
07P	7.50	8.97	11.97
08P	8.75	10.22	13.22
09P	10.00	11.47	14.47
10P	11.25	12.72	15.72
11P	12.50	13.97	16.97
12P	13.75	15.22	18.22
14P	16.25	17.72	20.72
15P	17.50	18.97	21.97
16P	18.75	20.22	23.22
20P	23.75	25.22	28.22
30P	36.25	37.72	40.72



深圳市华宇创精密电子有限公司

TOLERANCE:

X.X ± 0.30
X.XX ± 0.25
X.XXX ± 0.15 X' $\pm 2^{\circ}$ X.X' $\pm 0.5^{\circ}$ 

UNIT: mm [inch]

SCALE: 1:1 SIZE: A4

DRAWN BY :

陈一鸣

DATE :

2014-02-23

CHECKED BY :

马跃

DATE :

2014-02-23

APPROVED BY :

邱敏

DATE :

2014-02-23

PART NAME:

1.25PH 胶壳

PART NO.

HYC182-NY-125

MOLD NO.

DRAW NO:

HYC-2102241541

SHEET NO.

1 OF 1