




NOTES :

1. Material :

Housing : High temperature thermoplastic,
UL94-V0.


Color : White

Terminal : Copper Alloy.
Shield : Copper Alloy.

2. Shield:

50U*MIN. NICKEL PLATING OVER ALL.

 深圳市华宇创精密电子有限公司	
TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X" ±2° X.X° ±0.5°	DRAWN BY : 吴迪 DATE : 2013-08-29 PART NAME: MICRO HDMI 外壳DIP 端子DIP+SMT
  UNIT: mm [inch]	CHECKED BY: 马跃 DATE : 2013-08-29
	APPROVED BY: 邱国夷 DATE : 2013-08-29
SCALE:1:1 SIZE: A4	PART NO. HYC07-HDMID19-295 MOLD NO.  DRAW NO: HYC-HDMI13083001 SHEET NO. 1 OF 3



Recommend PCB Layout Tolerance = ± 0.02 mm


HDMI Each Signal Terminal
Will Be Functional After Detected

19	5V Power
18	SDA
17	SCL
16	DDC/CEC Ground
15	CEC
14	TMDS Clock-
13	TMDS Clock Shield
12	TMDS Clock+
11	TMDS Data0-
10	TMDS Data0 Shield
09	TMDS Data0+
08	TMDS Data1-
07	TMDS Data1 Shield
06	TMDS Data1+
05	TMDS Data2-
04	TMDS Data2 Shield
03	TMDS Data2+
02	Utility
01	Hot Plug Detect
Pin NO.	Description
Pin Assignment	




深圳市华宇创精密电子有限公司

TOLERANCE:		DRAWN BY : 吴迪	DATE : 2013-08-29	PART NAME:	
X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X: ±2° X.X ±0.5°				MICRO HDMI 外壳DIP 端子DIP+SMT	
 UNIT: mm [inch]		CHECKED BY:	DATE :	PART NO.	HYC07-HDMID19-295
		马跃	2013-08-29	MOLD NO.	
		APPROVED BY:	DATE :	DRAW NO:	HYC-HDMI13083001
SCALE:1:1	SIZE: A4	邱国夷	2013-08-29	SHEET NO.	2 OF 3






	Packing Quality	
	Reel	Carton
A	1000	10000



4. Carton Size: 350X350X310

Carton




Item	Name	Material	Color
1	Cappier Tape	PS	Black
2	Cover	PE	Translucent
3	Reel Plate	PS	Blue
4	Reel Core	PS	Blue



深圳市华宇创精密电子有限公司

TOLERANCE:

X.X ± 0.30
X.XX ± 0.25
X.XXX ± 0.15
X' $\pm 2'$ X.X' $\pm 0.5'$



UNIT: mm [inch]

SCALE: 1:1 SIZE: A4

DRAWN BY :

吴迪

DATE :

2013-08-29

PART NAME:

MICRO HDMI 外壳DIP 端子DIP+SMT

CHECKED BY:

马跃

DATE :

2013-08-29

PART NO.

HYC07-HDMI19-295

MOLD NO.

DRAW NO: HYC-HDMI13083001

SHEET NO.

3 OF 3