






3D VIEW



- NOTES:
 1:MATERIAL:
 1-1:STAINLESS STEEL THICKNE=0.08±0.03mm
 2:FINISH:
 2-1:REFER TO THE SPECIFICATION DESCRIPTION TABLE.
 2-2:DIMENSIONS OF PCB PAD STENCIL
 ARE FOR REFERENCE ONLY,
 CUSTOMER CAN MODIFY IT BY THEIR OWN.
 3:PRODUCT SPECIFICATIONS:
 3-1:RATED CURRENT:1.5A/MAX
 3-2:VOLTAGE RATING:5.0V/AC/DC/MAX
 3-3:CONTACT RESISTANCE:50mΩ/MAX
 3-5:OPERATING TEMPERATURE:-40°C~85°C
 3-6:NORMAL FORCE OF PRESS@0.50:18gf±8gf.
 3-7:DURABILITY:10,000 CYCLES.
 4:SALT SPRAY:48 HOURS(JUDGED BY ALL OUTSIDE AREA)
 5:PACKING SPECIFICATION:REEL&TARE
 6:DIMENSIONS MARKED ■,CPK>1.33
 7:ALL DIMENSIONS MARKED ▼MUST BE CONTROLLED BY QC;
 8:COMPLIANT TO RoHS&LEAD FREE




RECOMMENDED PCB LAYOUT
 TOLERANCE±0.05(焊盘推荐图)
 (FOR REFERENCE ONLY)




深圳市华宇创精密电子有限公司


TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X' ±2" X.X' ±0.5'	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: L2. 97*W1.34*H4.10mm立式充电弹片	
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HVC-TXT29713441TA	
UNIT: mm [inch] SCALE:1:1 SIZE: A4	APPROVED BY: 邱敏	DATE : 2014-02-23	DRAW NO: HVC-2609031501	
			SHEET NO. 1 OF 1	



耳机插入力曲线图(仅供参考)







耳机插入示意图(仅供参考)



深圳市华宇创精密电子有限公司

TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X' ±2" X.X' ±0.5"	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: L2. 97*W1.34*H4.10mm立式充电弹片	
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HVC-TXT29713441TA	
UNIT: mm [inch] SCALE:1:1 SIZE: A4	APPROVED BY: 邱敏	DATE : 2014-02-23	DRAW NO: HVC-2609031501	
			SHEET NO. 1 OF 1	



⑤		ADHESIVE TAPE	
④		CARRIER TAPE	W12.0
③		TOP COVER	W7.50
②	1	LABLE	
①	1	ROLLER DISK	ø330
ITEM	QT'Y	NAME	SIZE



深圳市华宇创精密电子有限公司

TOLERANCE:		DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME:	
X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X.* ±2* X.* ±0.5*				包装图	
 UNIT: mm [inch]		CHECKED BY:	DATE :	PART NO.	
		马跃	2014-02-23	MOLD NO.	
				DRAW NO:	
SCALE:1:1	SIZE: A4	APPROVED BY:	DATE :	SHEET NO.	1 OF 1
		邱敏	2014-02-23		