




















RECOMMENDED OPERATING FLOW:  
MATE: 1  
UNMATE: 2



深圳市华宇创精密电子有限公司

|                                                                           |                    |                      |                                   |
|---------------------------------------------------------------------------|--------------------|----------------------|-----------------------------------|
| TOLERANCE:<br>X.X ±0.30<br>X.XX ±0.25<br>X.XXX ±0.15<br>X' ±2" X.X' ±0.5" | DRAWN BY :<br>陈一鸣  | DATE :<br>2014-02-23 | PART NAME:<br>NGFF M.2 3.2H 0.5PH |
|                                                                           | CHECKED BY:<br>马跃  | DATE :<br>2014-02-23 | PART NO.<br>HYC54X-05NGFF-320     |
| UNIT: mm [inch]<br>SCALE:1:1 SIZE: A4                                     | APPROVED BY:<br>邱敏 | DATE :<br>2014-02-23 | DRAW NO:<br>HYC-2506131630        |
|                                                                           |                    |                      | SHEET NO.<br>1 OF 1               |



## NOTES:

## 1. MATERIAL :

1.1 HOUSING: THERMOPLASTIC, HIGH TEMPERATURE,  
UL94 V-0, COLOR: BLACK.

1.2 CONTACT: COPPER ALLOY.

1.3 FITTING NAIL: COPPER ALLOY.

## 2. FINISH :

## 2.1 CONTACT

[SEE TABLE] GOLD PLATING ON THE CONTACT AREA.

GOLD FLASH PLATING ON THE SOLDERING AREA.

1.27um~2.54um [50u"~100u"] MIN. NICKEL UNDERPLATING OVERALL.

## 2.2 FITTING NAIL

2.54um~5.08um [100u"~200u"] MIN. MATTE-TIN PLATING ON THE SOLDERING AREA.

1.27um~2.54um [50u"~100u"] MIN. NICKEL UNDERPLATING OVERALL.



深圳市华宇创精密电子有限公司


## TOLERANCE:

X.X ±0.30

X.XX ±0.25

X.XXX ±0.15

X' ±2" X.X' ±0.5"



UNIT: mm [inch]

SCALE:1:1 SIZE: A4

## DRAWN BY :

陈一鸣

## DATE :

2014-02-23

## PART NAME:

NGFF M. 2 3. 2H 0. 5PH

## CHECKED BY:

马跃

## DATE :

2014-02-23

## PART NO.

HYC54X-05NGFF-320

## MOLD NO.

## APPROVED BY:

邱敏

## DATE :

2014-02-23

## DRAW NO:

HYC-2506131630

## SHEET NO.

1 OF 1

